



**Fall Protection
Brace**
Prescription
Order Form

Account Name: _____ Account Number: _____
Clinic Name: _____
Address: _____
City: _____ State: _____ Zip: _____
Phone: _____ Email: _____
Patient Name: _____ Age: _____ Ht: _____ Wt: _____
Shoe Type/Size: _____ Shoes Enclosed: Yes: ☐ No: ☐ Male: ☐ Female: ☐

Diagnosis, Treatment Goals and Special Instructions _____ ☐ 2-day in-house Rush \$65 ☐ 3-day in-house Rush \$50

Describe patient condition:

- ☐ Left
☐ Right
☐ Bilateral

Treatment Goals:

- ☐ Improve mobility
☐ Improve lower extremity stability
☐ Decrease pain _____
☐ Facilitate muscular coordination and gait stability
☐ Reduce postural sway and increase ankle stability

Color Options

- ☐ Black
☐ Diabetic

☐ Fall Protection Brace ☐ 9" (std) ☐ 8" ☐ 7" ☐ 6" (The brace cannot be made higher than the cast)

Fall Protection Brace Modifications:

Top cover

Polyester cloth covering
With soft interface

Width:

- ☐ Normal (std)
☐ Narrow
☐ Wide

Length:

- ☐ Mets (std)
☐ Sulcus
☐ Toes

Shell Options: Polypropylene

- ☐ 3mm (std)
☐ 4mm More Rigid
☐ 5mm Extra Rigid

Closure:

Velcro

Rearfoot

- ☐ Intrinsic Post _____ °
☐ No Post
☐ Stable Heel

Medial Heel Skive:

- ☐ 2mm
☐ 4mm
☐ 6mm

Calcaneous Alignment

- ☐ _____ ° Inverted
☐ _____ ° Everted

Leg Alignment to the Floor

- ☐ _____ ° Varum
☐ _____ ° Valgum

Footplate Accommodation:

- ☐ Navicular
☐ Fascia Band
☐ Styloid 5th Met
☐ Other: _____

Footplate Modifications:

- ☐ Medial Flange
☐ Lateral Flange

Other Modifications:

- ☐ L ☐ R Heel Lift ☐ 1mm ☐ 2mm ☐ 3mm
☐ Medial Flip
☐ Arch Pad ☐ 1/16" ☐ 1/8" ☐ 1/4"

Forefoot Accommodations:

- ☐ Balance Pad ☐ L _____ ☐ R _____
☐ IPJ Accom ☐ L _____ ☐ R _____
☐ Toe Filler ☐ L _____ ☐ R _____
☐ Toe Crest ☐ L _____ ☐ R _____
☐ Met Pad ☐ L _____ ☐ R _____
☐ Met Bar ☐ L _____ ☐ R _____
☐ Morton's Extension ☐ Enduro ☐ Corex ☐ Plastazote ☐ Shell ☐ Reverse

Heel Accommodations:

- ☐ Heel Spur Donut ☐ 1/16" ☐ 1/8" ☐ 1/4"
☐ Heel Spur Horseshoe ☐ 1/16" ☐ 1/8" ☐ 1/4"
☐ Heel Pad ☐ 1/16" ☐ 1/8" ☐ 1/4"

☐ Check here for a courtesy (Medium) Midleg STS casting sock returned with this order



6299 Guion Rd., Indianapolis, IN 46268 p. 800-444-3632 f. 888-867-8571
www.alliedosilabs.com clientservice@aolabs.com